

ENVIRONMENTAL MONITOR WEEKLY REPORT
WEEK ENDING **OCTOBER 20, 2017**

Distribution

This report was sent to the following individuals via. e-mail:

Greg Kwon, *Resident Engineer* MADOT, Greg.Kwon@dot.state.ma.us
John Viens, *Site Superintendent*, D.W. White, jviens@dwwhite.com
Delia Kaye, *Natural Resources Director*, Town of Concord, dkaye@concordma.gov

The following individuals were also CC'd via e-mail:

Mark Cain, MADOT, mark.cain@dot.state.ma.us
Ann Roche, MADOT, ann.roche@dot.state.ma.us
Amy Lynch, MADOT, amy.lynch@dot.state.ma.us
Tim Kelley, *Project Manager*, D.W. White, tkelley@dwwhite.com
Rich Kirby, *Environmental Monitor Team member*, LEC, RKirby@lecenvironmental.com

STATUS OF CONSTRUCTION

Earthwork continues behind Brookside Square, south of the Nashoba Brook. The placement of the wooden walkway on top of the prefabricated steel truss bridge on Bridge #C-19-038 is finished and the approach slab has been poured and is currently curing. The erosion control north of Bridge #C-19-038 has been reinstalled with the erosion control is on the top of the slope to ensure any runoff during construction will be caught immediately. Powder Mill Road currently has earthwork under construction for the pathway leading the trail to the road.

Any damage to erosion control was identified and scheduled to be replaced if necessary.

SITE SCHEDULE

Over the next two weeks, grading of the pathway to Bruce Freeman Rail Trail and Powder Mill Road will continue. Erosion control will be refreshed as needed.

Lastly, the construction of the bridge over the Assabet River (structure #C-1903) will continue.

OBSERVATIONS

No erosion or concrete wash-out was observed within any resource area.

WEATHER

The weather station at Hanscom Airfield records and publishes real-time precipitation data (USGS 01100568). According to the weather station, no precipitation events which totaled to be greater than 0.25" occurred.

ENVIRONMENTAL MONITOR WEEKLY REPORT
WEEK ENDING **OCTOBER 20, 2017**

ORDER OF CONDITIONS

The following conditions were met during the reporting period:

Condition 36: The smallest equipment necessary to perform the work was used.

Condition 37: The culvert at station 81+10 has been installed prior to September 30th. The headwalls are installed, and the slopes are on schedule for stabilization.

Condition 39: Siltation barrier has been installed and consists of, at a minimum, a 12" straw wattle. Where it has been determined that additional measures were needed, some silt fence was added in limited areas.

Erosion control continues to be monitored and repaired as necessary.

Condition 47: No machinery was observed being stored in the buffer zone.

SWPPP REPORTS

Copies of the reports are kept in the construction trailer. Copies of the SWPPP Reports are included in this report as an attachment.

GENERAL SUMMARY

No sediment was observed in resource areas; any erosion control that was observed to be in need of replacement was noted and the contractor was informed. Work to complete the bridge over the Assabet River continues as drainage structures throughout the project are under installment.

SWPPP REPORTS

General Information (see reverse for instructions)			
Name of Project	Bruce Freeman Rail Trail	CGP Tracking No.	MAR10008B
Inspector Name, Title & Contact Information	John Viens- Supt. D. W. White Construction, Inc., 867 Middle Rd. Acushnet, MA 02743, jviens@dwwhite.com, (774) 320-5830		
Present Phase of Construction	BELLEFON PARKING AREA - TENNIS BRINGS		
Inspection Location (if multiple inspections are required, specify location where this inspection is being conducted)	ENTIRE SITE		
Inspection Frequency (Note: you may be subject to different inspection frequencies in different areas of the site. Check all that apply.) Standard Frequency: ☒ Weekly ☐ Every 14 days and within 24 hours of a 0.25" rain Increased Frequency: ☒ Every 7 days and within 24 hours of a 0.25" rain (for areas of sites discharging to sediment or nutrient-impaired waters or to waters designated as Tier 2, Tier 2.5, or Tier 3) Reduced Frequency: - ☐ Once per month (for stabilized areas) - ☐ Once per month and within 24 hours of a 0.25" rain (for arid, semi-arid, or drought-stricken areas during seasonally dry periods or during drought) - ☐ Once per month (for frozen conditions where earth-disturbing activities are being conducted)			
Was this inspection triggered by a 0.25" storm event? ☐ Yes ☒ No If yes, how did you determine whether a 0.25" storm event has occurred? ☐ Rain gauge on site ☐ Weather station representative of site. Specify weather station source: Total rainfall amount that triggered the inspection (in inches):			
Unsafe Conditions for Inspection Did you determine that any portion of your site was unsafe for inspection per CGP Part 4.1.5? If "yes", complete the following: - Describe the conditions that prevented you from conducting the inspection in this location: - Location(s) where conditions were found:			

Condition and Effectiveness of Erosion, and Sediment (E&S) Controls (CGP Part 2.1)				
Type/Location of E&S Control [Add an additional sheet if necessary]	Repairs or Other Maintenance Needed?*	Corrective Action Required?*	Date on Which Maintenance or Corrective Action First Identified?	Notes
1. <i>ENTIRE SITE</i>	☐ Yes ☐ No	☐ Yes ☐ No		<i>NO VISIBLE SIGNS OF WEAR/ROUTS</i>
2.	☐ Yes ☐ No	☐ Yes ☐ No		
3.	☐ Yes ☐ No	☐ Yes ☐ No		
4.	☐ Yes ☐ No	☐ Yes ☐ No		
5.	☐ Yes ☐ No	☐ Yes ☐ No		
6.	☐ Yes ☐ No	☐ Yes ☐ No		
7.	☐ Yes ☐ No	☐ Yes ☐ No		
8.	☐ Yes ☐ No	☐ Yes ☐ No		
9.	☐ Yes ☐ No	☐ Yes ☐ No		
10.	☐ Yes ☐ No	☐ Yes ☐ No		

* Note: The permit differentiates between conditions requiring repairs and maintenance, and those requiring corrective action. The permit requires maintenance in order to keep controls in effective operating condition and requires repairs if controls are not operating as intended. Corrective actions are triggered only for specific, more serious conditions, which include: 1) A required stormwater control was never installed, was installed incorrectly, or not in accordance with the requirements in Part 2 and/or 3; 2) You become aware that the stormwater controls you have installed and are maintaining are not effective enough for the discharge to meet applicable water quality standards or applicable requirements in Part 3.1; 3) One of the prohibited discharges in Part 2.3.1 is occurring or has occurred; or 4) EPA requires corrective actions as a result of a permit violation found during an inspection carried out under Part 4.2. If a condition on your site requires a corrective action, you must also fill out a corrective action form found at www.epa.gov/npdes/stormwater/swppp. See Part 5 of the permit for more information.

Condition and Effectiveness of Pollution Prevention (P2) Practices (CGP Part 2.3)				
Type/Location of P2 Practices (Add an additional sheet if necessary)	Repairs or Other Maintenance Needed?*	Corrective Action Required?*	Date on Which Maintenance or Corrective Action First Identified?	Notes
1. <i>12/14</i>	☐ Yes ☐ No	☐ Yes ☐ No		
2.	☐ Yes ☐ No	☐ Yes ☐ No		
3.	☐ Yes ☐ No	☐ Yes ☐ No		
4.	☐ Yes ☐ No	☐ Yes ☐ No		
5.	☐ Yes ☐ No	☐ Yes ☐ No		
6.	☐ Yes ☐ No	☐ Yes ☐ No		
7.	☐ Yes ☐ No	☐ Yes ☐ No		
8.	☐ Yes ☐ No	☐ Yes ☐ No		
9.	☐ Yes ☐ No	☐ Yes ☐ No		
10.	☐ Yes ☐ No	☐ Yes ☐ No		

* **Note:** The permit differentiates between conditions requiring repairs and maintenance, and those requiring corrective action. The permit requires maintenance in order to keep controls in effective operating condition and requires repairs if controls are not operating as intended. Corrective actions are triggered only for specific, more serious conditions, which include: 1) A required stormwater control was never installed, was installed incorrectly, or not in accordance with the requirements in Part 2 and/or 3; 2) You become aware that the stormwater controls you have installed and are maintaining are not effective enough for the discharge to meet applicable water quality standards or applicable requirements in Part 3.1; 3) One of the prohibited discharges in Part 2.3.1 is occurring or has occurred; or 4) EPA requires corrective actions as a result of a permit violation found during an inspection carried out under Part 4.2. If a condition on your site requires a corrective action, you must also fill out a corrective action form found at www.epa.gov/npdes/stormwater/swppp. See Part 5 of the permit for more information.

Stabilization of Exposed Soil (CGP Part 2.2) (see reverse for instructions)		
Stabilization Area [Add an additional sheet if necessary]	Stabilization Method	Notes
1. N/A	N/A	☐ YES If yes, provide date:
2.		☐ YES If yes, provide date:
3.		☐ YES If yes, provide date:
4.		☐ YES If yes, provide date:
5.		☐ YES If yes, provide date:

Description of Discharges (CGP Part 4.1, 6.6) (see reverse for instructions)	
Was a stormwater discharge or other discharge occurring from any part of your site at the time of the inspection? ☐ Yes ☐ No	
Discharge Location [Add an additional sheet if necessary]	Observations
1. NONE AT THIS TIME	Describe the discharge: At points of discharge and the channels and banks of surface waters in the immediate vicinity, are there any visible signs of erosion and/or sediment accumulation that can be attributed to your discharge? ☐ Yes ☐ No If yes, describe what you see, specify the location(s) where these conditions were found, and indicate whether modification, maintenance, or corrective action is needed to resolve the issue:
2.	Describe the discharge: At points of discharge and the channels and banks of surface waters in the immediate vicinity, are there any visible signs of erosion and/or sediment accumulation that can be attributed to your discharge? ☐ Yes ☐ No If yes, describe what you see, specify the location(s) where these conditions were found, and indicate whether modification, maintenance, or corrective action is needed to resolve the issue:

Contractor or Subcontractor Certification and Signature
(see reverse for instructions)

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Contractor or Subcontractor: John R. Viers

Printed Name and Affiliation: John R. Viers DW WHITE Construction **Date:** 10/16/17

Certification and Signature by Permittee
(see reverse for instructions)

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Permittee or "Duly Authorized Representative": _____

Printed Name and Affiliation: _____ **Date:** _____

General Information (see reverse for instructions)			
Name of Project	Bruce Freeman Rail Trail	CGP Tracking No.	MAR10008B
Inspector Name, Title & Contact Information	John Viens- Supt. D. W. White Construction, Inc., 867 Middle Rd. Acushnet, MA 02743, jviens@dwwhite.com, (774) 320-5830		
Present Phase of Construction	ASPHALT PLEP -		
Inspection Location (if multiple inspections are required, specify location where this inspection is being conducted)	ENTIRE SITE		
Inspection Frequency (Note: you may be subject to different inspection frequencies in different areas of the site. Check all that apply.) Standard Frequency: ☐ Weekly ☒ Every 14 days and within 24 hours of a 0.25" rain Increased Frequency: ☒ Every 7 days and within 24 hours of a 0.25" rain (for areas of sites discharging to sediment or nutrient-impaired waters or to waters designated as Tier 2, Tier 2.5, or Tier 3) Reduced Frequency: - ☐ Once per month (for stabilized areas) - ☐ Once per month and within 24 hours of a 0.25" rain (for arid, semi-arid, or drought-stricken areas during seasonally dry periods or during drought) - ☐ Once per month (for frozen conditions where earth-disturbing activities are being conducted)			
Was this inspection triggered by a 0.25" storm event? ☒ Yes ☐ No If yes, how did you determine whether a 0.25" storm event has occurred? ☐ Rain gauge on site ☐ Weather station representative of site. Specify weather station source: -48" HANSCOM AIR FORCE BASE Total rainfall amount that triggered the inspection (in inches):			
Unsafe Conditions for Inspection Did you determine that any portion of your site was unsafe for inspection per CGP Part 4.1.5? ☐ Yes ☒ No If "yes", complete the following: - Describe the conditions that prevented you from conducting the inspection in this location: - Location(s) where conditions were found:			

Condition and Effectiveness of Erosion, and Sediment (E&S) Controls (GGP Part 2.1)				
Type/Location of E&S Control [Add an additional sheet if necessary]	Repairs or Other Maintenance Needed?*	Corrective Action Required?*	Date on Which Maintenance or Corrective Action First Identified?	Notes
1. <i>RIVER BRIDGE</i>	☒ Yes ☐ No	☒ Yes ☐ No	<i>10/19/17</i>	<i>ADDED 480' STRAW MATS @ TOP SLOPE BOTH E&S AND WEST ABUTMENTS</i>
2.	☐ Yes ☐ No	☐ Yes ☐ No		
3.	☐ Yes ☐ No	☐ Yes ☐ No		
4.	☐ Yes ☐ No	☐ Yes ☐ No		
5.	☐ Yes ☐ No	☐ Yes ☐ No		
6.	☐ Yes ☐ No	☐ Yes ☐ No		
7.	☐ Yes ☐ No	☐ Yes ☐ No		
8.	☐ Yes ☐ No	☐ Yes ☐ No		
9.	☐ Yes ☐ No	☐ Yes ☐ No		
10.	☐ Yes ☐ No	☐ Yes ☐ No		

* Note: The permit differentiates between conditions requiring repairs and maintenance, and those requiring corrective action. The permit requires maintenance in order to keep controls in effective operating condition and requires repairs if controls are not operating as intended. Corrective actions are triggered only for specific, more serious conditions, which include: 1) A required stormwater control was never installed, was installed incorrectly, or not in accordance with the requirements in Part 2 and/or 3; 2) You become aware that the stormwater controls you have installed and are maintaining are not effective enough for the discharge to meet applicable water quality standards or applicable requirements in Part 3.1; 3) One of the prohibited discharges in Part 2.3.1 is occurring or has occurred; or 4) EPA requires corrective actions as a result of a permit violation found during an inspection carried out under Part 4.2. If a condition on your site requires a corrective action, you must also fill out a corrective action form found at www.epa.gov/npdes/stormwater/swppp. See Part 5 of the permit for more information.

Condition and Effectiveness of Pollution Prevention (P2) Practices (CGP Part 2.3)

Type/Location of P2 Practices [Add an additional sheet if necessary]	Repairs or Other Maintenance Needed?*	Corrective Action Required?*	Date on Which Maintenance or Corrective Action First Identified?	Notes
1. <i>N/A</i>	☐ Yes ☐ No	☐ Yes ☐ No		
2.	☐ Yes ☐ No	☐ Yes ☐ No		
3.	☐ Yes ☐ No	☐ Yes ☐ No		
4.	☐ Yes ☐ No	☐ Yes ☐ No		
5.	☐ Yes ☐ No	☐ Yes ☐ No		
6.	☐ Yes ☐ No	☐ Yes ☐ No		
7.	☐ Yes ☐ No	☐ Yes ☐ No		
8.	☐ Yes ☐ No	☐ Yes ☐ No		
9.	☐ Yes ☐ No	☐ Yes ☐ No		
10.	☐ Yes ☐ No	☐ Yes ☐ No		

* Note: The permit differentiates between conditions requiring repairs and maintenance, and those requiring corrective action. The permit requires maintenance in order to keep controls in effective operating condition and requires repairs if controls are not operating as intended. Corrective actions are triggered only for specific, more serious conditions, which include: 1) A required stormwater control was never installed, was installed incorrectly, or not in accordance with the requirements in Part 2 and/or 3; 2) You become aware that the stormwater controls you have installed and are maintaining are not effective enough for the discharge to meet applicable water quality standards or applicable requirements in Part 3.1; 3) One of the prohibited discharges in Part 2.3.1 is occurring or has occurred to meet requires corrective actions as a result of a permit violation found during an inspection carried out under Part 4.2. If a condition on your site requires a corrective action, you must also fill out a corrective action form found at www.epa.gov/npdes/stormwater/swppp. See Part 5 of the permit for more information.

Stabilization of Exposed Soil (GGP Part 2.2) (see reverse for instructions)			
Stabilization Area [Add an additional sheet if necessary]	Stabilization Method	Have You Initiated Stabilization?	Notes
1. <i>N/A</i>	<i>N/A</i>	☐ YES If yes, provide date:	
2.		☐ YES If yes, provide date:	
3.		☐ YES If yes, provide date:	
4.		☐ YES If yes, provide date:	
5.		☐ YES If yes, provide date:	

Description of Discharges (GGP Part 4.1.6.6) (see reverse for instructions)	
Was a stormwater discharge or other discharge occurring from any part of your site at the time of the inspection? ☐ Yes ☐ No	Discharge Location [Add an additional sheet if necessary]
1. <i>NONE</i>	Describe the discharge: At points of discharge and the channels and banks of surface waters in the immediate vicinity, are there any visible signs of erosion and/or sediment accumulation that can be attributed to your discharge? ☐ Yes ☐ No If yes, describe what you see, specify the location(s) where these conditions were found, and indicate whether modification, maintenance, or corrective action is needed to resolve the issue:
2. <i>NONE</i>	Describe the discharge: At points of discharge and the channels and banks of surface waters in the immediate vicinity, are there any visible signs of erosion and/or sediment accumulation that can be attributed to your discharge? ☐ Yes ☐ No If yes, describe what you see, specify the location(s) where these conditions were found, and indicate whether modification, maintenance, or corrective action is needed to resolve the issue:

Contractor or Subcontractor Certification and Signature
(see reverse for instructions)

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Contractor or Subcontractor: [Signature]

Printed Name and Affiliation: John K. Viers DW 11/17/17

Date: 10/20/17

Certification and Signature by Permittee
(see reverse for instructions)

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Signature of Permittee or "Duly Authorized Representative": _____

Printed Name and Affiliation: _____

Date: _____

WEATHER REPORTS



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

USGS Water Resources

Data Category:

Surface Water ▼

Geographic Area:

United States ▼

GO

Click to hide News Bulletins

- [Please see news on new formats](#)
- [Full News](#) 

USGS 01100568 SHAWSHEEN RIVER AT HANSCOM FIELD NEAR BEDFORD, MA

PROVISIONAL DATA SUBJECT TO REVISION

Available data for this site

Time-series: Daily data ▼

GO

Click to hide station-specific text

LOCATION--Lat 42°28'01", long 71°16'22", Middlesex County, Hydrologic Unit 01070002, on left bank, 300 ft downstream from FAA hangar at Hanscom Field and 1.6 mi south of Bedford.

DRAINAGE AREA--2.13 mi².

PERIOD OF RECORD--Discharge: October 1995 to current year.

Precipitation: October 1996 through September 1999, October 2002 to September 2004.

Water quality: water years 1995-2001.

GAGE--Data Collection Platform with satellite telemeter. Datum of gage is 115 ft above National Geodetic Vertical Datum of 1929 (from topographic map).

REMARKS-- Discharge values are highly provisional and will change significantly after thorough check and review of data. Gage-height values are accurate. Precipitation gage re-established on site February 2013.

COOPERATION BY--U. S. Air Force

The precipitation data for this station are temporary and will only be displayed for 120 days. Time series of 15-minute or cumulative daily values WILL NOT be available for retrieval following the 120-display period. Although the instrumentation is calibrated at least once/year, the temporary classification means that documented routine inspections and other quality assurance measures are not performed that would make the data acceptable for archival, retrieval, or future use in general scientific or interpretive studies.

[Boating safety tips](#)

This station managed by the Northborough MA Field Office.

Available Parameters

Period of Record

- ☐ All 3 Available Parameters for this site
- ☐ 00010 Temperature, water(Min.,Max.,Mean)
- ☒ 00045 Precipitation(Sum)
- ☐ 00060 Discharge(Mean)

2017-08-02 2017-10-25
1996-09-30 2017-10-25
1995-10-01 2017-10-25

Output format

- ☐ Graph
- ☐ Graph w/ stats
- ☐ Graph w/ meas
- ☐ Graph w/ (up to 3) parms
- ☒ Table
- ☐ Tab-separated

Days (6)

[Summary of all available data for this site](#)

[Instantaneous-data availability statement](#)

GO

-- or --

Begin date

2017-10-14

End date

2017-10-20

Daily Sum Precipitation, total, inches

DATE	Oct 2017
14	0.00 ^P
15	0.00 ^P
16	0.00 ^P
17	0.00 ^P
18	0.00 ^P
19	0.00 ^P
20	0.00 ^P
COUNT	
MAX	
MIN	

Explanation

P Provisional data subject to revision.

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[Plug-Ins](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: USGS Surface-Water Daily Data for the Nation

URL: <https://waterdata.usgs.gov/nwis/dv?>



Page Contact Information: [Massachusetts Water Data Support Team](#)

Page Last Modified: 2017-10-26 08:41:22 EDT

1.6 1.51 sdww02

PHOTOGRAPHIC DOCUMENTATION



PHOTOGRAPH LOG

OCTOBER 23, 2017



STONE BASE ON FOREBAY INSTALLED.



EROSION CONTROL REPLACED NORTH OF BRIDGE #C-19-038.



PHOTOGRAPH LOG

OCTOBER 23, 2017



EXCESS CONCRETE POURED ON EARTH TO BE REMOVED NORTH OF BRIDGE #C-19-038.



BRIDGE #C-19-038 CURRENT CONDITION.



PHOTOGRAPH LOG

OCTOBER 23, 2017



CULVERT AT STATION 81+10 STATUS



POWDER MILL ROAD CULVERT AND STABILIZATION STATUS